

Màng nhà kính Ginegar nhập khẩu Israel



**Multi layer Sun Selector**

**Type: SUNCOVER CLEAR / C 643**

Film usage	:	Greenhouse cover
Width	:	Up to 15 meters
Thickness	:	150 micron
Length	:	As required

		Test method	Units	Values
Tensile strength at break	MD	ASTM D-882	MPa	23
	TD	"	MPa	22
Elongation at break	MD	"	%	620
	TD	"	%	750
Tear resistance	MD	ASTM D-1922	GR./mm	8500
	TD	"	GR./mm	10000
Dart drop		ASTM D-1709	GR.	800

Light transmission in PAR	%	ASTM D-1003	89
Diffused light trans in PAR	%	"	22
			Typical values



Kibbutz Ginegar 36580, Isreal | Tel: 972-46544222 | Fax: 972-46547947  
 Email: export@ginegar.co.il Web site: www.ginegar.com